



# Wireless Presentation, Multi-Screen Interaction, Seamless Collaboration

#### BJ66 Wireless Presentation Box

As a state of art wireless screen mirroring box, BJ66 is a superior multi-screen collaboration intelligent terminal specially designed for smart meeting room and classroom. Thanks to leading technology and innovation, BJ66 allows participants to cast from up to 6 different sources to the designated monitor/TV simultaneously through Airplay, Miracast, WiDi, Airplay, Google cast, BJ cast APP and BJCast USB Transmitter. The participants can experience BJ66's interactive collaboration features on the IWB (Interactive White Board). BJ66 can integrate with third party's system including Video conference, Meeting appointment, Teaching center control, Recording and Broadcasting etc. BJ66 has compact design, vivid content sharing and effective collaboration features, which can facilitate local collaboration with traditional meeting room and improve productivity.





AP

.--

AP hotspot

BiJie Type-C



6-Screen casting



Airplay



Cast Miracast



4K HD display





Transmitter

**Application Scenarios** 





## **Product Features**

## Multiple Method, Better Compatibility

Perfectly compatible with Windows, Mac, iOS, Android and other operating systems, no need to install any other APP or software to cast. It allows the participants to cast screens wirelessly via Miracast, Airplay, Google Cast, WiDi and BJCast Type-C/USB Transmitter, to provide wireless screen mirroring and interactive collaboration experience. Simple and easy to operate, which can improve meeting and study efficiency.

## Prime Collaboration, Superb Efficiency

Support casting maximum 6 screens to one IWB including Monitor/TV simultaneously, with 4K/60FPS video codec solutions, to provide fluent and vivid content, no need to switch any interface and device. With the Type-C Wireless Conference Button-WCB06, BJ66 would increase the efficiency and convenience of online video meeting. BJ66 also support reverse control via wireless casting, which is applicable to Windows & Android OS devices, to make meeting and work easy and efficient. Simple and easy to operate, it can improve meeting and study efficiency.

#### Convenient and Reliable

Compact design, easy to deploy, less cable and DC power supply help to maintain a clean and organized meeting room. It also supports integration and interconnection with third-party software system. Meanwhile, the Administrator could manage and diagnose BJ66 remotely on BJCast Remote Device Unified Management Platform.

# BJ66 Wireless Presentation Box Specification

| Item                                     | •Description  |
|--|---|
| OS                                       | •Android  |
| RAM                                      | •4G   |
| ROM                                      | •16GB EMMC  |
| Wi-Fi Module                             | *802.11AX(WiFi6)*1 *802.11AC(WiFi5)*1   |
| Wi-Fi AP                                 | •AP hotspot   |
| Wi-Fi Antenna                            | •Built-in Wi-Fi antenna*4   |
| Network                                  | •Wired, wireless, 802.1x  |
| Wireless Casting/Screen Mirroring Method | •Airplay •Miracast •Google cast •WiDi (Windows8/10) •DLNA •BJCast(Windows,Mac, Android,iOS)           |
| Extended Desktop                         | •Windows, Mac • BJCast Type-C/USB Transmitter   |
| Reverse Control                          | •BJCast •BJCast Type-C/USB Transmitter •Miracast •WiDi  |
| Sources Simultaneous on Screen           | •6  |
| Casting Method                           | •QR Code<br>•PIN Code   |
| Response Time                            | •Time Latency≤200ms •Casting Range≤30m •Boot time<30s •LAN screen casting                             |
| Video Decoding                           | •Resolution:3840*2160 •Maximum support channel: 10  |
| Security Protection                      | Miracast compatible PIN code     PIN code to encrypt contents and unwanted stream                     |
| Manual Setting                           | •Device name •Wallpaper •Customized On/Off  |
| Device Management                        | •BJCast Unified Management Platform   |
| SDK                                      | •Wireless Casting SDK can be provided (Optional) •Integrate with thirty party applications (Optional) |

| Collaboration                     | •Electronic whiteboard •Local file browsing and Video broadcast management •Video conference via Video conference APP •Screen content recording and broadcasting •Mobile real time control |
|-----------------------------------|--|
| Third Party Device Integration    | •USB Camera •USB Microphone •USB Writing pad •USB Transponder  |
| Active Learning System (Optional) | •Multi devices broadcasting •Mini group casting simultaneously •Multi-screen interaction   |
| Interface                         | •HDMI Output*1 •HDMI Input*1 •3.5mm audio output *1 •3.5mm audio input *1 •USB3.0*4 •USB2.0*2 •Type-C*1 •Gigabit ethernet*1 •100M ethernet*1 •Reset *1 •DC Power *1 •White LED light*1     |
| Power Supply                      | •DC12V3A   |
| Dimensions                        | •Size:180*138*40mm<br>•Weight:672g   |
| Warranty                          | •One year  |

## **About BJCAST**

BJCAST, belongs to BiJie Networks, is a global brand and high tech & leading innovation enterprise that specialized in integrated communication technology development and cloud computing application service. BJCAST has been devoting to helping end users to improve learning and communication efficiency, to make interaction and collaboration easier with wireless presentation/screen mirroring technology and intelligent hardware products.

# Copy right

Copyright ©2021 SUZHOU BIJIE NETWORKS CO.,LTD

Copyright © 2021 Suzhou BiJie Networks Co.,Ltd. All rights reserved. No parts of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, photocopying, recording, or otherwise, for any purpose, without the express written permission of Suzhou BiJie Networks Co.,Ltd.

# **Technical Support**

Visit BJCAST Resources (Wirelesss Display/Projection SDK | BJCast) for SDK downloads, product documents, FAQ, and more. For better service, we sincerely recommend you to reach BJCAST sales team (sales@bjcast.com) to submit all your technical issues and we will assign them accordingly.



SUZHOU BIJIE NETWORKS CO.,LTD.

Web: www.bjcast.com

Addr: 901, Block A, Building 1, 116 Chengyang Road, Xiangcheng District, Suzhou, Jiangsu,P.R.C Copyright©2021 BiJie Networks. All right reserved.